



The Right Solution.
Every Single Time.

STIHL

German Quality And Innovation

**NO. 1 SELLING CHAINSAW
BRAND WORLDWIDE**

CHAINSAWS



MS SERIES



MS 194 T



MS 462 R

Model	Displacement (cm ³)	Power output (kW/hp)	Approved guide bar length (inch)	Weight* (kg)
MS 162	30.1	1.3/1.8	14/16	4.5
MS 172	31.8	1.5/2.0	16/18	4.5
MS 182	35.8	1.6/2.2	16/18	4.6
MS 212	38.6	1.8/2.4	18	4.6
MS 230	40.2	2.0/2.7	16/18	4.6
MS 250	45.4	2.3/3.1	16/18/20	4.6
MS 260	50.2	2.6/3.5	16/18	4.8
MS 291	55.5	2.8/3.8	18	5.6
MS 363	62.6	3.5/4.7	16/18/20/22/25	5.5
MS 382	72.2	3.9/5.3	18/20/22/25/28	6.2
MS 462	72.2	4.4 /6.0	18/25/28/30	6.0
MS 651	91.1	5.0/6.8	25/30/36	7.4
MS 661	91.1	5.4/7.3	20/25/30/36	7.4
MS 881	121.6	6.4/8.7	25/30/36/41/47	9.9
MS 194 T (top handle)	31.8	1.4/1.9	14	3.3
MS 462 R (rescue saw)	72.2	4.4 /6.0	20	6.5

*Dry weight excluding attachments

CHAINSAWS



ELECTRIC



BATTERY



MSE SERIES



MSA SERIES

ELECTRIC

Model	Voltage (V)	Power output (kW)	Approved guide bar length (inch)	Weight* (kg)
MSE 141	230	1.4	14/16	3.6
MSE 170	230	1.7	14	3.9
MSE 190	230	1.9	16	3.9
MSE 210	230	2.1	16	4.0

*Weight excluding attachments

BATTERY

Model	Battery	Run time (mins) (up to)	Approved guide bar length (inch)	Weight* (kg)
MSA 60	AK 20	40	10/12	2.5
MSA 70	AK 30	45	10/12/14	2.5
MSA 160	AP 300 S	62	10/12/14	2.7
MSA 200	AP 300 S	50	10/12/14	2.9

*Weight excluding battery

WATER PUMPS



WP 230 2-STROKE



WP 300/600/900 4-STROKE



PETROL

Model	Displacement (cm ³)	Pump size (inch)	Power output (hp)	Max. head (m)	Max. discharge l/mins	Weight* (kg)
WP 230	40.2	1.5	2.1	27	250	11.3
WP 300	212	2	6.0	33	616	26
WP 600	212	3	6.0	31	1050	29
WP 900	252	4	7.0	34	1567	38

*Dry weight excluding attachments

BRUSHCUTTERS



PETROL



FS SERIES
SIDEPACK



FR SERIES
BACKPACK



FT 230
TEA PRUNER

Model	Displacement (cm ³)	Power output (kW/hp)	Weight* (kg)
FS 55	27.2	0.75/0.9	5.0
FS 3001	25.4	0.97/1.3	5.6
FS 120	30.8	1.3/1.8	6.3
KA 120	30.8	1.3/1.8	6.3
FS 230	40.2	1.55/2.1	7.5
FS 230 with cruise control	40.2	1.55/2.1	7.5
FS 250	40.2	1.6/2.2	6.3
KA 250	40.2	1.6/2.2	6.3
FS 351	37.7	1.7/2.3	8.8
FS 410	41.6	2.0/2.7	8.4
FS 460	45.6	2.2/3.0	8.4
FR 3001	30.5	0.81/1.1	9.4
FR 230	40.2	1.55/2.1	10.5
FR 230 with cruise control	40.2	1.55/2.1	10.5
FT 230	40.2	1.55/2.1	7.5

*Dry weight excluding attachments

BRUSHCUTTERS



ELECTRIC



BATTERY



FSE SERIES



FSA SERIES

ELECTRIC

Model	Voltage (V)	Power output (W)	Weight* (kg)
FSE 52	230	500	2.2
FSE 81	230	1000	4.7

*Weight excluding attachments

BATTERY

Model	Battery	Voltage (V)	Run time (mins) (up to)	Weight* (kg)
FSA 30	AS 2	10.8	14	2.1
FSA 57	AK 10	36	25	2.4
FSA 135	AP 300 S	36	100-40**	4.9

*Weight excluding battery & cutting attachments

**Level 1- Level 3/Boost mode

Cutting tools*



2-teeth grass blade



Autocut mowing head



Brush knife



4-teeth grass blade



Circular saw blade, scratcher tooth



Circular saw blade, chisel tooth



Circular saw blade



Shredder knife



Nylon trimmer lines

Attachments*



Pick tine



Bolo tine



Autocut



Brush knife



Circular saw blade



Paddy harvester

*Cutting tools and attachments are for specific models only. Please verify during purchase.

POWER WEEDERS



PETROL



BC 230

2-STROKE



MH 210



MH 610

4-STROKE



MH 710

Model	Displacement (cm ³)	Power output (hp)	Cultivation		Weight* (kg)
			Width (feet)	Depth (inch)	
BC 230	40.2	2.1	1	3	20
MH 210	80	2.2	1.5	4	28
MH 610	212	6.0	2.5	5	60
MH 710	252	7.0	3	6	101

*Dry weight excluding attachments

SWEEPING MACHINES



KG 770



MANUAL



KGA 770



BATTERY

Model	KG 770
Sweep width (cm)	77
Container capacity (l)	50
Areas up to (m ²)	1500
Weight* (kg)	13

*Dry weight excluding attachments

Model	KGA 770
Battery	AP 300 S
Run time (mins) (up to)	210
Sweep width (cm)	77
Container capacity (l)	50
Areas up to (m ²)	2000
Weight* (kg)	16

*Weight excluding battery

HANDHELD & BACKPACK BLOWERS



PETROL



ELECTRIC



PETROL BR SERIES

BG SERIES

BGE 81

Model	Displacement (cm ³)	Power output (kW)	Max. Air Throughput (m ³ /h)	Max. Air Speed (m/s)	Weight* (kg)
BR 420	56.5	2.6	1260	95	9.1
BR 550	64.8	2.5	1490	113	9.9
BR 600	64.8	2.8	1720	106	9.8
BR 800	79.9	3.28	2025	107	11.7
BG 50	27.2	0.7	730	71	3.6
BG 86	27.2	0.8	810	89	4.4

*Dry weight excluding attachments

ELECTRIC

Model	Voltage (V)	Power output (kW)	Max. Air Throughput (m ³ /h)	Max. Air Speed (m/s)	Weight* (kg)
BGE 81	230	1.4	750	82	3.3

*Weight excluding attachments



BATTERY



BGA SERIES



BGA 300

Model	Battery	Run time (mins) (up to)	Air speed (m/s)	Weight* (kg)
BGA 60	AK 30	16**	69	2.3
BGA 86	AP 300 S	26	69	2.8
BGA 100	AR 3000 L	510-95***	81	2.5
BGA 300	AR 3000 L	140-51***	86	7.4

*Weight excluding battery

**Boost mode 16 min and 40%-60% longer for normal mode

***Level 1- Level 3/Boost mode

MISTBLOWERS



PETROL



SR SERIES

Model	SR 5600	SR 420	SR 450
Displacement (cm ³)	56.5	56.5	63.3
Power output (kW/hp)	2.6/3.5	2.6/3.5	2.9/3.9
Max. airflow rate (m ³ /h)	1260	1260	1300
Spraying distance (m)	12	12	14.5
Weight* (kg)	11.2	11.1	12.8

*Dry weight excluding attachments

PORTABLE SPRAYERS



PETROL



SG 230

Model	SG 230
Displacement (cm ³)	40.2
Power output (kW/hp)	1.55/2.1
Volume flow rate (l/mins)	12.2
Working pressure (bar)	5-40
Weight* (kg)	13

*Dry weight excluding attachments

VACUUM CLEANERS



ELECTRIC



SE 33



SE 62



SE 122

Model	SE 33	SE 62	SE 122
Max. vacuum (mbar)	210	210	250
Container volume (l)	12	20	30
Mains voltage (V/Hz)	230/50	230/50	230/50
Max. power consumption (kW)	1.4	1.4	1.5
Weight* (kg)	5.4	7.5	12.1

*Weight excluding attachments

HIGH-PRESSURE CLEANERS



ELECTRIC

ENTRY LEVEL



RE 80 X RE 80 RE 90

SEMI-PROFESSIONAL LEVEL



RE 100 Plus Control RE 105 X RE 110 RE 120 Plus RE 130 Plus RE 140 Plus

Model	RE 80X	RE 80	RE 90	RE 100 Plus Control	RE 105 X	RE 110	RE 120 Plus	RE 130 Plus	RE 140 Plus
Max. pressure (bar)	120	120	130	150	150	120	140	150	180
Max. water throughput (l/h)	430	430	440	450	430	440	500	500	510
Power consumption (kW)	1.7	1.7	2.1	2.1	1.7	1.7	2.1	2.3	2.5
Weight (kg)	7	7.5	8	9	15	17.6	21.3	21.2	22.7

PROFESSIONAL LEVEL

3-PHASE MACHINES



RE 150 RE 272 Plus RE 362 RE 362 Plus RE 462 Plus

Model	RE 150	RE 272 Plus	RE 362	RE 362 Plus	RE 462 Plus
Max. pressure (bar)	180	200	250	250	250
Max. water throughput (l/h)	612	620	1080	1080	1130
Power consumption (kW)	2.9	3.0	6.3	6.5	7.4
Weight (kg)	30	39	72	79	83

HANDHELD & HIGH PRESSURE CLEANERS



RCA 20



REA 60 Plus



REA 100 Plus

Model	RCA 20	REA 60 Plus	REA 100 Plus
Battery	AS 2 (set comes with 2 batteries)	AK 30 / AK 30 S	AP 300 S
Max. water throughput (l/h)	230	270	300
Max. pressure (bar)	24	130	150
Run time per battery (mins) (up to)	15	25 (AK 30 S)	45
Weight* (kg)	1.3	6.5	6.7

*Weight excluding battery

HANDHELD VACUUM CLEANER



SEA 20

BATTERY AIR COMPRESSOR / INFLATOR



KOA 20

Model	SEA 20	Model	KOA 20
Battery	AS 2	Battery	AS 2
Voltage (V)	10.8	Voltage (V)	10.8
Max. vacuum (mbar)	80	Air throughput (l/mins)	17 @ 35 PSI
Max. flow volume (l/mins)	1020	Max. air pressure (Volume pump) (kpa)	4.2
Container capacity (lit)	0.75	Max. pressure (High-pressure pump) (PSI/bar/kpa)	150/10.3/1030
Run time (mins)	Up to 14	Max. air throughput (Volume pump) (l/mins)	360
Weight* (kg)	1.1	Run time (mins) (up to)	23
		Weight* (kg)	1.5

*Weight excluding battery

HEDGE TRIMMERS



PETROL



HS SERIES



HS 52

TEA PRUNER



ELECTRIC



HSE SERIES

Model	HS 45	HS 52	HS 82 R/T	Model	HSE 42	HSE 52	HSE 71	HSE 81
Displacement (cm ³)	27.2	27.2	22.7	Voltage (V)	230	230	230	230
Power output (hp)	1.0	1.0	1.0	Power output (W)	420	460	600	650
Bar length (cm)	45	60	60	Total length (cm)	45	50	70	70
Weight* (kg)	4.7	5	5.3/5.1	Weight* (kg)	3.0	3.1	4.2	4.4

*Dry weight



BATTERY



HSA SERIES

Model	HSA 30	HSA 40	HSA 50	HSA 86
Battery	AS 2	AS 2	AK 10/20/30	AP 300 S
Run time (mins) (up to)	50 min	80 (with 2 AS 2 batteries)	50/100/120	223
Total length (cm)	45	50	50	45/62
Weight* (kg)	2.0	2.1	2.9	3.0/3.3

*Weight excluding battery

LONG-REACH HEDGE TRIMMERS



PETROL



Model	HL 94
Displacement (cm ³)	24.1
Power output (kW/hp)	0.9/1.2
Total length (cm)	242
Weight* (kg)	6.1

*Dry weight excluding attachments



BATTERY



Model	HLA 86
Battery	AP 300 S
Run time (mins)	Up to 223
Energy content (Wh)	281
Total length (cm)	260/330
Weight* (kg)	4.8

*Weight excluding battery

CORDLESS PRUNERS & SHRUB SHEAR



	GTA 26 GARDEN PRUNER	GTA 40 PROFESSIONAL PRUNER	HSA 26 SHRUB SHEAR
Model	GTA 26	GTA 40	HSA 26
Battery	AS 2	AS 2 X 2	AS 2
Voltage (V)	10.8	21.6	10.8
Energy (Wh)	28	56	28
Run time (up to)	80 cuts (4 X 4) mins	200 cuts (5 X 5 cm Spruce Tree)	110 mins
Weight* (kg)	1.2	2.0	0.8

*Weight excluding battery & cutting attachments

POLE PRUNERS



Model	HT 75
Displacement (cm³)	25.4
Power output (kW/hp)	0.95/1.3
Reach from ground (m)	5
Weight* (kg)	7.3

*Dry weight excluding attachments



Model	HTA 66	HTA 86
Battery	AP 300 S	AP 300 S
Total length (cm)	240	270-390
Run time (mins) (up to)	68	68
Reach from ground (m)	3.2	5
Weight* (kg)	3.3	4.6

*Weight excluding battery

PRUNING SECATEURS



BATTERY



ASA 20



ASA 130



ASA 140

Model	ASA 20	ASA 130	ASA 140
Battery	AS 2	AP 300 S	AP 300 S
Voltage (V)	10.8	36	36
Run time (up to)	2000 cuts	1 day	1 day
Max. cutting diameter (mm)	25	35	45
Total length with battery (mm)	324	-	-
Weight* (g)	980	940	1060

*Weight excluding battery

EARTH AUGERS



PETROL



BT 230



BT 131

Model	BT 230	BT 131
Displacement (cm ³)	40.2	36.3
Power output (kW/hp)	1.55/2.1	1.4/1.9
Auger drill sizes (mm)	100/150/200/300	40 to 300**
Max. spindle speed (rpm)	250	200
Weight* (kg)	10.9	10

*Dry weight excluding attachments
**40/60/90/120/150/200/300

SPECIAL HARVESTERS- PALM CUTTER



PETROL



SICKLE

CHISEL

Model	PC 70	PC 75
Displacement (cm ³)	25.4	25.4
Power output (kW/hp)	0.95/1.3	0.95/1.3
Reach from ground (m)	3	5.5
Standard length (cm)	212	290/390
Cutting attachment	Chisel/Sickle	Chisel/Sickle
Weight* (kg)	6.2	8.4

*Dry weight excluding attachments

VACUUM SHREDDERS



PETROL



SH 86



ELECTRIC



SHE 71



SHE 81

Model	SH 86	SHE 71	SHE 81
Displacement (cm ³)/Voltage (V)	27.2	230	230
Engine power (kW)	0.8	1.1	1.4
Air throughput (m ³ /h)	770	580	650
Weight* (kg)	6.2	4.1	4.4

*Dry weight excluding attachments & weight excluding attachments (SHE 71/81)

MULTIENGINE



PETROL

Attachments



Model	MM 56
Working width (cm)	27.2
Power output (kW/hp)	0.85/1.2
Weight* (kg)	8.25

*Dry weight excluding attachments

BF - MM



Pick Tine

MM - BK



Bolo Tine

*Other additional attachments are also available

CONCRETE CUTTER



PETROL



GS 461

Model	GS 461
Displacement (cm ³)	76.5
Power output (kW/hp)	4.3/5.8
Cutting depth (cm)	15.7
Weight* (kg)	7.6

*Dry weight excluding attachments

CUT-OFF SAWS



PETROL



TS 420



TS 800



BATTERY



TSA 230

Model	TS 420	TS 800	TSA 230
Displacement (cm ³) / Battery	66.7	98.5	AP 300 S
Power output (kW) / Run time (mins)	3.2/4.4	5.0/6.8	22
Cutting depth (mm)	100/125	100/125/145	70
Cutting wheel diameter (mm)	300/350	300/350/400	230
Weight* (kg)	9.6	12.7	3.9

*Dry weight excluding attachments & weight excluding battery & cutting attachments (TSA 230)

LAWN MOWERS



RM 248



RM 253 T



RM 3 RT

Model	RM 248	RM 253 T	RM 3 RT
Displacement (cm³)	127	127	163
Horse power (hp)	2.5	2.5	3.5
Cutting width (inch)	18	20	18
Collector volume (l)	52	55	NA
Weight* (kg)	30	31	31

*Dry weight excluding attachments



RME 235



Model	RME 235
Motor capacity (W)	1200
Cutting width (inch)	13
Collector volume (l)	30
Weight* (kg)	13

*Weight excluding attachments

MULTIPURPOSE STATIONARY ENGINES



Model	EHC 405 S	EHC 505 S	EHC 605 S	EHC 705 S	EHC 905 S	EHC 1105 S	EHC 1505 S
Displacement (cm ³)	163	196	212	252	338	389	500
Engine power (hp)	4	5	6	7	9	11	15
Rated speed (rpm)	3600	3600	3600	3600	3600	3600	3600
Torque max (Nm)	8.5	10.4	12.5	15.6	17.5	21.5	30.0
Fuel tank capacity (l)	3.6	3.6	3.6	3.6	6.5	6.5	6.5
Weight* (kg)	15	16	16	17	31	32	33

*Dry weight



STIHL

HANDHELD & HIGH-PRESSURE CLEANERS



STIHL UPKARAN, LAYE PARIVARTAN



RE 80X RE 80 RE 90

ENTRY-LEVEL RANGE

Model	RE 80X	RE 80	RE 90
Max. Pressure	120 bar	120 bar	130 bar
Max. Water Throughput	430 l/h	430 l/h	440 l/h
Power Consumption	1.7 kw	1.7 kw	2.1 kw



RE 100 Plus Control RE 105X RE 110 RE 120 Plus RE 130 Plus RE 140 Plus

SEMI - PROFESSIONAL RANGE

Model	RE 100 Plus Control	RE 105X	RE 110	RE 120 Plus	RE 130 Plus	RE 140 Plus
Max. Pressure	150 bar	150 bar	120 bar	140 bar	150 bar	180 bar
Max. Water Throughput	450 l/h	430 l/h	440 l/h	500 l/h	500 l/h	510 l/h
Power Consumption	2.1 kw	1.7 kw	1.7 kw	2.1 kw	2.3 kw	2.5 kw



3-PHASE MACHINES



RE 150 RE 272 Plus RE 362 RE 362 Plus RE 462 Plus

PROFESSIONAL RANGE

Model	RE 150	RE 272 Plus	RE 362	RE 362 Plus	RE 462 Plus
Max. Pressure	180 bar	200 bar	250 bar	250 bar	250 bar
Max. Water Throughput	612 l/h	620 l/h	1080 l/h	1080 l/h	1130 l/h
Power Consumption	2.9 kw	3.0 kw	6.3 kw	6.5 kw	7.4 kw



RCA 20



REA 60 Plus



REA 100 Plus

BATTERY RANGE

Model	RCA 20	REA 60 Plus	REA 100 Plus
Max. Pressure	24 bar	130 bar	150 bar
Max. Water Throughput	230 l/h	270 l/h	300 l/h
Battery	AS 2	AK 30	AP 300S

STIHL

VACUUM CLEANERS

STIHL UPKARAN, LAYE PARIVARTAN



SE 33

SE 62

SE 122

Model	SE 33	SE 62	SE 122
Max. Vacuum	210 mbar	210 mbar	250 mbar
Container Volume	12 l	20 l	30 l
Mains Voltage	230 v/50 hz	230 v/50 hz	230 v/50 hz
Max. Power Consumption	1.4 kw	1.4 kw	1.5 kw
Weight Ready for Operation	5.4 kg	7.5 kg	12.1 kg

Additional Accessories



Car Set



Wet Vacuuming Set



Coarse Dirt Set



Filter Bag



Extension Tube



SEA 20

Model	SEA 20
Battery	AS 2
Running Time	up to 14 min
Weight	1.1 kg*

Standard Supply



1 x AS 2 battery



1 x AL 1 charger



1 x Paper filter



1 x Extension Hose



1 x Vacuum Hose



Set of mini nozzles

SWEEPING MACHINES



Model	Manual	Battery	Battery	Battery Running Time
	KG 770	KGA 770		
Sweep Width	77 cm	77 cm	AP 100	Up to 84 min*
Container Capacity	50 l	50 l	AP 200	Up to 168 min*
Weight	13 kg*	16 kg*	AP 300	Up to 210 min*
For Areas Up to	1500 m ²	2000 m ²		

*Tool run time with fully charged battery

KG 770



KGA 770



* Dry Weight